

# The Talon Quick-Lock Clips

## Quick-lock Clips


A range of robust clips designed to withstand repeated opening and closing offering secure 360 degree pipe retention. This range of hinged clips provides a very secure grip when the pipe is in place and the snap tight locking top offers complete security of the pipe. The high stand-off allows for lagging and heat circulation.



## Colours & sizes

Single Quick-Lock				Double Quick-Lock
White	Cold	Gas	Hot	White
15mm	15mm	15mm	15mm	15mm
22mm	22mm	22mm	22mm	22mm
28mm		28mm		28mm


## Single Quick-Lock Clips



**QS15**

15mm Single Quick-Lock Clips


**A:** 15mm **B:** 22mm  
**C:** 34mm



**QS22**

22mm Single Quick-Lock Clips

**A:** 15mm **B:** 31mm  
**C:** 47mm




**QS28**

28mm Single Quick-Lock Clips

**A:** 19mm **B:** 39mm  
**C:** 53mm


## Double Quick-Lock Clips



**QD15**

15mm Double Quick-Lock Clips

**A:** 15mm **B:** 69mm  
**C:** 55mm



**QD22**

22mm Double Quick-Lock Clips

**A:** 15mm **B:** 90mm  
**C:** 72mm

# The Talon Quick-Lock Spacers

## Talon Quick-Lock Spacers



### Colours & sizes

Quick-Lock Spacers



White

QSP1

QSP2

QSP3


15mm QL single

22mm QL Single

28mm QL Single


## Quick-Lock Spacers

Compatible only with Talon Quick-Lock Clips.




### QSP1

Quick-Lock Spacer  
**A:** 18.5mm **B:** 15.5mm  
**C:** 12mm



### QSP2

Quick-Lock Spacer  
**A:** 22.5mm **B:** 15.5mm  
**C:** 15.7mm



### QSP3

Quick-Lock Spacer  
**A:** 28mm **B:** 15.5mm  
**C:** 21.1mm

# The Talon Quick-Lock Reducers

## Talon Quick-Lock Reducers

In our Talon Quick-Lock Clip we also offer Reducers. Our Reducers are designed to allow the installation of smaller pipe within a larger clip.

## Colours & sizes

Reducers



White




QR1

15 to 10mm




QR2

22 to 15mm



### QR1

**TR1** Reducer fits inside a 15mm Talon Quick-Lock Clip reducing pipe holding diameter to 10mm.



### QR2

**TR2** Reducer fits inside a 22mm Talon Quick-Lock Clip reducing pipe holding diameter to 15mm.